
















图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
1	后桥总成	Rear axle assembly	560 350 60 00	1		2454*475*674	750
2	主减总成	Main retarder assy	500 350 38 20	1		2454*475*674	750
3	型号标牌	Model board	505 584 13 24	1		50*40	0.1
4	压簧	Press spring	346 993 09 01	1		Φ40*60	0.1
5	差速拨叉	Fork	355 353 02 34	1		126*155*28	0.6
6	换挡滑杆	York rod	346 353 05 35	1		28*28*114	0.4
7	螺纹销 M10X25-14H	Screw	M 100073 010131	1		Φ12*40	0.2
8	六角螺母 M10-04	Nut	M 106172 010001	1		Φ12*20	0.1
9	工作缸活塞	Piston	346 353 01 57	1		Φ45*16	0.165
10	工作缸活塞"O"形环	O ring	001 997 22 45	1		Φ36*5	0.1
11	密封垫	Seal washer	355 353 03 80	1		Φ100*2	0.1
12	工作缸	Working cylinder	346 353 06 55	1		87.5*75*66.5	0.35
13	六角螺栓 M8X70-8.8	Bolt	M 105782 008114	3		Φ10*90	0.1
14	密封环	Seal ring	N 007603 018100	1		Φ10*5	0.1
15	压力开关	Press switch	001 545 47 14	1		Φ30*35	0.1
16	螺栓	Bolt	M 105785 014031	12		Φ16*85	0.1
17	六角螺栓 M12X1.5X40-8.8	Bolt	M 105786 012064	16		Φ14*55	0.1
18	螺塞	Screw plug	186 997 00 32	2		Φ25*15	0.1
19	调整垫	Adjusting shim	346 353 09 52-14 52-16 52		一组 7 件按 需	Φ310*1	0.1
20	螺栓	Bolt	000 990 62 04	18		Φ16*65	0.1
21	圆柱销 8X16	Column pin	M 100119 080029	4		Φ10*20	0.1
22	螺栓	Bolt	942 990 16 04	4		Φ18*110	0.1
23	桥壳总成	Axle housing assy	260 350 05 20	1	桥壳 260 351 05 01	2121*300*410	226
24	螺塞	Screw plug	186 997 00 32	2		Φ25*15	0.1
25	通气塞	Plug	383 351 00 65	1		Φ14*38	0.1

图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
25	通气塞	Plug	383 351 00 65	1		Φ 14*38	0.1
26	卡环	Snap ring	N 912009 025100	2		Φ 25*2	0.1
27	销总成	Pin assembly	355 350 00 55	2		Φ 25*36	0.1
28	带轴承盖的主减速器壳 总成	Differential housing	395 350 47 20	1		538*354*265	45
29	圆柱销	Column pin	355 997 00 10	1		Φ 25*40	0.1
30	贯通传动中间件		942 353 01 17	1		Φ 93*32	0.1
31	贯通传动小齿轮壳	Small gear shell	346 353 03 07	1		551*360*155	41
32	盖	Cover	346 353 02 08	1		551*360*180	25
33	压簧	Press spring	346 993 09 01	1		Φ 40*60	0.1
34	差速锁端面齿套	Differential gear sleeve	346 353 09 36	1		Φ 118×38.5	1.015
	差速锁端面齿套	Differential gear sleeve	346 353 00 39	1		Φ 118×38.5	1.215
35	钢丝环	Elastic check ring	352 994 00 39	1		Φ 245×5	0.1
36	差速拨叉	Fork	346 353 02 34	1		112*170*28	0.77
37	换挡滑杆	York rod	346 353 05 35	1		28*28*114	0.4
38	螺纹销 M10X25-14H	Screw	M 100073 010131	1		Φ 12×40	0.1
39	六角螺母 M10-04	Nut	M 106172 010001	1		Φ 12×15	0.1
40	工作缸活塞	Piston	346 353 01 57	1		Φ 45*16	0.165
41	工作缸活塞“O”形环	O ring	001 997 22 45	1		Φ 36*5	0.1
42	密封垫	Seal washer	355 353 03 80	1		80*81*0.5	0.001
43	六角螺栓 M8X70-8.8	Bolt	M 105782 008114	3		Φ 10*85	0.1
44	工作缸	Working cylinder	346 353 06 55	1		87.5*75*66.5	0.35
45	压力开关	Press switch	001 545 47 14	1		Φ 30*35	0.1
46	密封环	Seal ring	N 007603 018100	1		Φ 10*5	0.1
50	12 方螺母	Nut	385 351 05 72	1		Φ 77*22	0.253

北奔 NG80-2638SZ6×4 牵引车备件图册（鼓式制动中桥 Drum brake midbridge）

组别号 Group: 35 组 Group35-1

图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
51	法兰	Flange assy	346 353 15 45	1	总成 346 350 11 45	180X180X75	4
52	护罩	Protective cap	346 353 00 90	1		Φ113*18	0.1
53	密封环	Seal ring	017 997 28 47	1		Φ110*15	0.1
	密封环	Seal ring	017 997 29 47	1		Φ110*15	0.1
54	调整螺母	Adjusting Nut	346 353 08 25	1		Φ142*32	0.984
55	锁紧件	Retainer	352 353 00 73	1		44*50*25	0.034
56	六角螺母	Nut	M 105783 008044	1		Φ10*24	0.1
57	球轴承	Ball bearing	N 000625 920066	1		Φ80*20	1
58	球轴承	Ball bearing	N 000625 036216	1		Φ80*20	1
59	槽螺母	Slofted nut	500 356 02 26	1		Φ80*14	0.45
60	止动垫片	Lock sheet	500 356 00 73	1		Φ81*10	0.03
61	球轴承	Ball bearing	545 981 00 24	1		Φ128*22	2
62	密封环	Seal ring	017 997 31 47	1	346 350 06 43	Φ95*10	0.4
63	密封环	Seal ring	017 997 30 47	1		Φ95*10	0.4
64	贯通传动调整螺母	Nut	346 353 09 25	1		Φ114*27	0.522
65	输出轴	Through drive shaft	500 353 00 35	1	总成 500 350 01 45	Φ46*395.5	8.5
66	锁紧件	Retainer	352 353 00 73	1		44*50*25	0.034
67	六角螺母	Nut	M 105783 008044	1		Φ10*15	0.01
68	螺栓	Bolt	M 105785 012091	12		Φ14*90	0.01
69	差速器壳总成	Differentialhousingassembly	346 350 23 27	1		Φ195X85	7

北奔 NG80-2638SZ6×4 牵引车备件图册（鼓式制动中桥 Drum brake midbridge）


组别号 Group: 35 组 Group35-1


图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
70	主动轴齿轮压力垫片	Thrust washer	346 353 24 62	1	346 353 25 62 任选	Φ110*2.35	0.066
71	后贯通轴齿轮总成	Rear through shaft gear assy	346 350 05 26	1		124X124X56	1.6
72	衬套	Bush	346 353 06 50	1		Φ57*41	0.164
73	槽螺母	Slofted nut	346 353 03 26	1		Φ80*16	0.2
74	差速器十字轴	Cross joint	659 353 00 20	1		Φ195X30	2.15
75	衬套	Bush	346 353 04 50	1		Φ75*53.5	0.391
76	差速锥齿轮	Gear	659 353 00 14	4		77X77x20	0.451
77	球面垫圈	Sphere shim	346 353 02 24	4		Φ65*7	0.0222
78	前贯通轴齿轮总成	Front through shaft gear	346 350 11 24	1		210X210X60	7.2
79	止推垫片	Washer	346 353 17 62	1	任选	Φ84*4	0.053
	止推垫片	Washer	346 353 18 62	1		Φ84*4	0.053
	止推垫片	Washer	346 353 19 62	1		Φ84*4	0.053
	止推垫片	Washer	346 353 26 62	1		Φ84*4	0.053
80	结合套	Joint sleeve	346 353 08 36	1		Φ118X31.5	1.015
81	前贯通轴	Front through shaft	346 353 07 35	1		Φ368.5X70	10
82	12 方螺母	Nut	385 351 05 72	1		Φ77*22	0.253
83	齿轮	gear	346 353 00 85	1		200X200X54	9.99
84	圆柱销	Column pin	M 100119 120169	2		Φ12*30	0.1
85	圆锥滚子轴承	Roller bearing	003 981 70 05	1		Φ140*51	4.8
86	调整垫	Adjusting shim	346 353 13 77-94 77	1	346 353 09 51-29 51	Φ80*6	0.078

图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
87	隔套	Spacer sleeve	346 353 03 50	1		Φ80*60	0.607
88	圆锥滚子轴承	Roller bearing	003 981 29 05	1		Φ150*54	5.82
89	齿轮副总成	Gear	346 350 29 39	1		320X315X315	16.3
	从动锥齿轮 Z=28	Drived gear	346 353 45 12	1		--	--
	主动锥齿轮 Z=21	Main driving gear	346 353 45 10	1		--	--
90	螺纹环	Thread ring	652 353 00 25	1		Φ128×26	0.525
91	圆锥滚子轴承	Roller bearing	003 981 32 05	2		Φ125×37	2.27
92	螺栓	Bolt	346 990 31 01	16		Φ16×40	0.1
93	螺栓	Bolt	000 990 67 04	12		Φ16×110	0.1
94	不带齿轮体的差速器 总成	Differential assy	346 350 81 23	1		Φ309.8×263	26.85
95	V 型密封圈	Oil seal	942 353 00 80	1		Φ65×7.2	0.1
96	螺纹环	Thread ring	346 350 04 43	1		Φ128×26	0.825
97	锁紧件	Retainer	346 333 00 73	2		40*42*20	0.1
98	六角螺栓 M8X12-8.8	Bolt	M 105783 008044	2		Φ10×20	0.1
99	球面垫圈	Sphere shim	346 353 01 24	4		Φ70*7	0.0223
100	差速锥齿轮	Gear	346 353 19 14	4		89X89X15	0.85
104	半轴齿轮	Half shaft gear	346 353 08 15	2		200X200X87	1.8
105	差速器十字轴	Cross joint	346 353 04 20	1		Φ188X28	1.8
106	后桥半轴	Rear axle half shaft	260 357 00 01	1		Φ45 X 1095	14
	后桥半轴	Rear axle half shaft	260 357 01 01	1		Φ45 X 1095	14
107	弹性挡圈 45X1.75	Spring gasket	N000983 045000	2			
108	弹性挡圈	Spring gasket	M 100893 105001	2			

图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
	补偿垫圈	Compensated washer	355 354 08 52	按需			
	补偿垫圈	Compensated washer	489 354 01 52	按需			
110	止推垫片	Washer	346 354 16 62	4			
111	太阳齿轮	Sun gear	346 354 05 17	2		89X89X44	1.325
112	卡环 50	Snap ring	N009045 050001	2			
113	止动垫片	Lock sheet	346 356 00 73	2		Φ110*9	0.047
114	槽螺母	Slofted nut	346 356 01 26	4		Φ106*10	0.207
115	齿圈	Gear ring	355 354 13 12	2		262*262*81.5	2
116	托架	Bracket	355 354 19 09	2		240*240*69	11
117	钢丝环	Elastic check ring	346 994 04 39	2			
118	圆锥滚子轴承	Roller bearing	004 981 07 05	1			
119	O 型密封圈	O ring	016 997 95 48	2			
120	轮毂	Hub	505 356 23 01	2		375*375*219	30
121	轮子固定螺栓	Bolt	500 401 00 71	20			
122	挡油盘	Oil splasher	505 356 01 82	2		290*290*78	0.7
123	圆锥滚子轴承	Roller bearing	007 981 00 05	1			
124	盖板	Cover	346 356 00 27	2		Φ174*2	0.107
125	径向轴密封环	Oil seal	020 997 39 47	2			
126	销	Pin	346 354 00 74	10		40*40*86	0.6
127	止推垫片	Washer	346 354 13 62	20		60*56*3	0.056
128	滚针	Roller needle	000 981 79 87	500			
129	中间垫片	Washer	355 354 01 62	10		Φ44.9*4.3	0.017
130	行星齿轮	Planetary gear	346 354 05 16	10		84*84*44	1.25

图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
131	带行星框架钟形毂总成	Bell hub assy	346 350 15 33	2		363*363*273	28
132	密封环 24X29	Seal ring	N007603 024106	2		Φ 24X29	0.5
133	螺塞	Screw plug	624 997 00 32	2			
134	螺塞	Screw plug	355 997 02 32	2			
135	密封环 45X52	Seal ring	N007603 045100	2			
136	螺栓	Bolt	500 990 64 04	20			
137	端盖	End cover	624 356 00 20	2		Φ 276*31	2.724
138	密封垫	Seal washer	500 356 00 80	2			
139	配合螺栓	Bolt	624 354 01 71	10			
140	螺栓 M12X1.5X30-8.8	Bolt	N000912 012219	10			
141	行星减速器总成	Planetary reducer assembly	346 350 06 09	2		363X363X75	31





图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
	带护板的制动器总成	Brake assy with board	815 420 00 02/815 420 01 02	左/右			
1	销	Pin	497 421 00 74	4			
2	衬套	Bush	674 421 00 50	4			
3	制动蹄销密封环	Seal ring	003 997 69 48	8			
4	销	Pin	658 423 02 74	4			
5	回拉弹簧	Return spring	346 993 03 10	4			
6	制动蹄片	Brake shoe	659 423 05 10	4			
7	制动蹄	Brake shoe	659 423 02 08	8			
8	制动鼓	Brake drum	505 423 04 01	2			
9	铆钉	Hollow rivet	500 990 00 97	64			
10	弹性挡圈	Spring gasket	M 100894 017001	4			
11	垫圈	Washer	N 000988 017100	4			
12	辘子总成	Column	346 420 00 39	4			
13	销	Pin	346 421 06 74	4			
14	带肩螺栓	Bolt	346 990 13 04	4			
15	带肩螺栓	Bolt	346 990 43 04	20			
16	螺栓 M10X16-10.9	Bolt	N 910106 010037	2			
17	止动垫片	Lock sheet	942 994 00 09	2			
18	制动蹄支承架	Brake shoe bracket	505 423 00 06	2			
19	护板	Brackplate	505 423 01 20	2			
20	护板	Backplate	505 423 00 20	2			
21	塞堵	Plug	346 421 00 11	4			
22	螺栓	Bolt	972 990 01 04	12			
23	左制动凸轮轴	Left brake camshaft	815 423 00 36	1			
	右制动凸轮轴	Right brake camshaft	815 423 01 36	1			
24	注油嘴 M8X1	Nozzle	N 071412 008100	2			

图册 编号 ID#	零件名称 Part Name Chinese	英文名称 Part Name English	零件号 Part Number	基数 Quantity	备注 Notes	外廓尺寸 (mm)	重量 (kg)
25	轴密封圈	Oil seal	012 997 36 47	2			
26	关节轴承	Bearing	000 981 60 31	2			
27	弹性挡圈	Spring gasket	307 994 00 35	2			
28	关节轴承	Bearing	000 981 60 31	2			
29	轴密封圈	Oil seal	014 997 22 47	2			
30	密封环架	Seal ring bracket	346 423 00 58	2			
31	轴密封圈	Oil seal	014 997 22 47	2			
32	螺栓	Bolt	N 910106 016010	2			
33	螺栓	Bolt	N 910106 016011	2			
34	弹性挡圈	Spring gasket	307 994 00 35	2			
35	注油嘴 M8X1	Nozzle	N 071412 008200	2			
36	左支承座	Left dearing base	346 423 11 33	1			
	右支承座	Right dearing base	346 423 12 33	1			
37	轴密封圈	Oil seal	012 997 36 47	2			
38	垫圈	Washer	346 423 07 52	2			
39	销子	Nut	881 423 00 74	2			
40	自动的制动间隙调整器	Brake adjusting arm	945 420 02 38	1			
40	自动的制动间隙调整器	Brake adjusting arm	945 420 03 38	1			
41	调整垫	Adjusting shim	346 421 05 52-07 52-09 52	+	按需		
42	垫片	Washer	346 421 10 52	2			
43	弹性挡圈 34X1.5	Spring gasket	N000471 034000	2			